

Proposal Subject:	Management Plans for Wastewater Treatment Plants
Specific NSSP Guide Reference:	NSSP Guide Section II Model Ordinance Chapter IV Shellstock Growing Areas @. 03 Growing Area Classification
Text of Proposal/ Requested Action	<p>C. Conditional Classification</p> <p>(2) Management Plan Required. For each growing area, a written management plan shall be developed and shall include:</p> <p>(a) For management plans based on wastewater treatment plant function, performance standards that include:</p> <ul style="list-style-type: none">(i) Peak effluent flow, average flow, and infiltration flow;(ii) Bacteriological or viral Microbiological quality of the effluent;(iii) Physical and chemical quality of the effluent;(iv) Conditions which cause plant failure;(v) Plant or collection system bypasses;(vi) Design, construction, and maintenance to minimize mechanical failure, or overloading;(vii) Provisions for monitoring and inspecting the waste water treatment plant; and(viii) Establishment of an area in the prohibited classification adjacent to a wastewater treatment plant outfall in accordance with Section E. Prohibited Classification;
Public Health Significance:	This change is to make the language consistent with that proposed for Section II, Chapter IV @.03 E (5) Wastewater Discharges
Cost Information (if available):	This change does not incur any additional cost to the Authority or the industry beyond that inferred by the current wording.
Action by 2013 Task Force I	Recommended adoption of Proposal 13-105 as submitted.
Action by 2013 General Assembly	Adopted recommendation of 2013 Task Force I on Proposal 13-105.
Action by FDA May 5, 2014	Concurred with Conference action on Proposal 13-105.