

Proposal Subject	Warm Water Temperature
Specific NSSP Guide Reference:	Chapter XI. 02. D. (1); Chapter XII. 02. D. (1); Chapter XIII. 02. D (1); and Chapter XIV. 02. D. (1)
Text of Proposal/ Requested Action	(1) Hand washing facilities, with warm water at a minimum of 110 ° Fahrenheit (43 ° Centigrade) 100 ° Fahrenheit (38 ° Centigrade) , dispensed from a hot and cold mixing or combination faucet, shall be Provided. [S ^{K/O}]
Public Health Significance:	Section 5-202.12 (A) of the 2001 FOOD CODE recommends a water temperature at least 100 ° Fahrenheit that is sufficient for hand washing. The 110 ° Fahrenheit provides no extra measure of health protection and should be changed.
Cost Information (if available):	
Action by 2005 Task Force II	Recommended adoption of Proposal 05-211 as amended with an implementation date of January 1, 2006. Chapter XI. 02. D. (1); Chapter XII. 02. D. (1); Chapter XIII. 02. D (1); and Chapter XIV. 02. D. (1); and <u>Chapter XV 02. D. (1)</u>
Action by 2005 General Assembly	Adopted recommendation of 2005 Task Force II.
Action by USFDA	Concurred with Conference action.